

Code: E230002	Article: clear PT350 PP CUP 300/350ml (1250pcs)	UPC: 5907739602718
Prepared by: GS	Specification no. clear PT350PP Ø77,2xH121,8	Food contact: cold beverages
Checked by: Dept. Super.	Production Supervisor: Dept. Super.	CE mark: Yes
Attachments:	Article drawing: C5-PT300-150827-01.pdf;	

Article photo:




I. General arrangement

PACCOR Polska Sp. z o. o. will deliver the article **PT350 PP CUP 300/350ml (1250pcs)** according to and within the limits of this article specification. Supplier food contact safety declaration will follow.

Basic article characteristics are outlined in the attached article drawing: "**C5-PT300-150827-01.pdf**". No modifications to the article characteristics listed below are allowed, unless agreed to by both parties and expressed in writing, and signed/autographed. ID as per box no. and production date (label).

II. Raw material specification

Compounds	Basic composition	Alternative
Name	HOMO PP	regarding PP
Percentage	100%	50%
Name	0%	0%
Percentage		
Name	0%	
Percentage		

Box packaging top view:

Box inner size:

Palletizing:

Articles in a pile: **50**
Piles in a box: **25**
Articles in a box: **1250**
Box inner size: **392x392x480**
Box load gross: **6,46 kg**
Boxes per pallet: **24**
Articles per pallet: **30000**
Pallet height: **2,13 m**
Pallet type: **EURO**
Pallets per truck: **33**
FTL: **990000**
Packaging conditions:

- Wooden pallets, clean, dry
- On pallet top: **film**
- Box liner: **LDPE G380058**
- PÓŁRĘKAW LD 235/0,022 22μ**
- Labels per pallet sides: **2**
- Corner box label: **Yes**
- Customer label: **No**
- Box: **cardboard G300018 - 620829**

 - Remarks: **No separation between box layers** - Absorption pads: **No** - Stacking: **A-A** - Sleeve label: **standard**
III. Sheet specification

Parameter	Value	Tolerance
Thickness	1,05 mm	±0,08 mm
Width	690,0 mm	+2/-5 mm
Colour*	clear	BWTC
Layers	mono-layer	

IV. Basic article characteristics

Parameter	Value	Tolerance
Length (or Ø)	77,2 mm	±0,5 mm
Width (or Ø)	77,2 mm	mm
Height	121,8 mm	±0,5 mm
Stacking distance	7,00 mm	±0,2 mm
Weight	4,5 g	±0,35 g
Capacity nominal / brimful	300 / 350 ml	±20 ml
Reference*:	PT350 PP CUP 300/350ml (1250pcs)	

*B – black, W – white, T – transparent, C – any colour

V. Microbiology tests

Once a month a comparative microbiology test of factory air is run against external air, with air circling articles examination in material groups (rotating) against internal normative levels. Records are kept for a minimum of three years and their values are available to the buyer.

VI. Delivery & Storage:

Deliveries according to transport regulations, details on the left. Store in dry, clean, shaded areas, away from heat sources, 10-40°C, RH<85%. Articles good to use within a year from production date, if properly stored.

VII. Other

In case of change in article use or processing the recipient is obligated to contact the supplier with pertaining details as soon as possible.

VIII. Signed approval

H&Q Manager	Buyer Representative:	
Monika Mikulska		
Date: 25/02/2019	Date: 25/02/2019	Date:



PACCOR Polska Sp. z o. o.

Skieriewice Branch

Version 0

Revision A

Replaces specification no. **n/a**

Date: **25/02/2019**

From: **n/a** Due to: **n/a**

Page 2 of 2

Article: **clear PT350 PP CUP 300/350ml (1250pcs)**

UPC: **5907739602718**

Code: **E230002**

Specification no. **clear PT350PP Ø77,2xH121,8**

Food contact: **cold beverages**

Prepared by: **GS**

CE mark: **Yes**

Checked by: **Dept. Super.**

Production Supervisor: **Dept. Super.**

Attachments: Article drawing: **C5-PT300-150827-01.pdf;**




5 907739 611253

50 GLASSES PP


PULSAR T 0,3L/350

E230002





PRZEKRÓJ A-A



NARYS.	DATA	MODYFIKACJA	PODPIŚ
PEŁNA NAZWA:			
Kubek z kreską o pojemności 0,3 litra			
NAZWA HANDLOWA			
PT350			
NARYS.	IMIE I NAZWISKO	DATA	MATERIAŁ:
S. Pryk	S. Pryk	09.08.2015	SKALA:
SPRAWDZ.	S. Pryk	09.08.2015	1:1
			A3
			NR RYSUNKU C5-PT350-150809-01